#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
1	Measure pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Substance Abuse	28	Adult Core	3	3	4	2	3	Strong	Moderate
2	Use of relievers for inpatient asthma (CAC-1)	Chronic Disease Management	143	CAC	3	3	4	2	3	Strong	Strong
3	Use of Systemic Corticosteroids for Inpatient Asthma (CAC-2)	Chronic Disease Management	144	CAC	3	3	4	2	3	Strong	Strong
4	Acute Care Hospitalization (risk-adjusted)	Home Health; Care Coordination	171	OASIS	4	3	4	3	3.5	Strong	Strong
5	Emergency Department Use Without Hospitalization	Home Health; Care Coordination	173	OASIS	4	3	4	2	3.25	Strong	Strong
6	Diabetes Short- Term Complications	Chronic Disease	272	PQI	3	2	3	3	2.75	Moderate	Strong

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
	Admission Rate (PQI 1)	Management									
7	Chronic Obstructive Pulmonary Disease (PQI 5)	Chronic Disease Management	275	Adult Core	3	2	3	2	2.5	Moderate	Strong
8	Heart Failure Admission Rate (PQI 8)	Chronic Disease Management	277	Adult Core	3	4	4	3	3.5	Strong	Strong
9	Low Birth Weight Rate (PQI 9)	Population Health; Maternal & Neonatal Care	278	PQI	4	3	2	1	2.5	Moderate	Moderate
10	Asthma in Younger Adults Admission Rate (PQI 15)	Chronic Disease Management	283	PQI	3	3	3	3	3	Strong	Strong
11	Accidental Puncture or Laceration Rate (PSI 15)	Patient Safety	345	PSI	3	2	1	2	2	Moderate	Strong

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
12	Iatrogenic Pneumothorax Rate (PSI 6)	Patient Safety	346	PSI	2	2	1	3	2	Moderate	Strong
13	Screening for Clinical Depression	Mental Health & Development	418	Adult Core	2	2	1	1	1.5	Moderate	Moderate
14	Postoperative Pulmonary Embolism or Deep Vein Thrombosis Rate (PSI 12)	Patient Safety	450	PSI	3	3	3	3	3	Strong	Strong
15	Timely Initiation of Care	Care Coordination ; Communicati on	526	OASIS	3	4	3	2	3	Strong	Strong
16	Postoperative Respiratory Failure Rate (PSI 11)	Patient Safety	533	PSI	3	2	3	3	2.75	Moderate	Strong
17	Patients Discharged on Multiple	Mental Health &	552	HBIPS	3	2	2	3	2.5	Moderate	Moderate

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
	Antipsychotic Medications (HBIPS-4)	Development									
18	Percent of Residents Who Self- Report Moderate to Severe Pain (Short- Stay)	Effectiveness	676		4	2	4	2	3	Strong	Strong
19	Percent of Residents Who Self- Report Moderate to Severe Pain (Long- Stay)	Effectiveness	677		4	2	4	2	3	Strong	Strong
20	Percent of Residents with Pressure Ulcers That Are New or Worsened (Short- Stay)	Effectiveness	678		4	2	4	2	3	Strong	Strong
21	Percent of High Risk Residents with	Effectiveness	679		4	2	4	2	3	Strong	Strong

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
	Pressure Ulcers (Long Stay)										
22	Asthma Emergency Department Visits	Chronic Disease Management	1381		2	2	2	2	2	Moderate	Strong
23	Hospital and Palliative Care - Treatment Preferences	Care Coordination & Communicati on	1641		2	2	2	2	2	Moderate	Moderate
24	Hospital-Wide All- Cause Uplanned Readmission	Care Transitions	1789		2	2	2	2	2	Moderate	Moderate
25	Adherence to Antipsychotics for Individuals with Schizophrenia	Mental Health & Development	1879	Adult Core	2	3	3	3	2.75	Moderate	Moderate
26	Home Management Plan of Care Document Given to Patient/Caregiver	Care Transitions		CAC	3	3	3	3	3	Strong	Moderate

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
	(CAC-3)										
27	Timely Transmission of Transition Record (CCM-3)	Care Transitions		CCM	3	3	3	3	3	Strong	Moderate
28	Birth Trauma Rate: Injury to Neonates (PSI 17)	Maternal & Neonatal Care		PSI	2	2	2	3	2.25	Moderate	Strong
29	Central Venous Catheter-Related Blood Stream Infection Rate (PSI 7)	Patient Safety		PSI	2	2	2	2	2	Moderate	Strong
30	Pressure Ulcer Rate (PSI 3)	Patient Safety		PSI	3	3	3	3	3	Strong	Strong
31	Postoperative Hip Fracture Rate (PSI 8)	Patient Safety		PSI	3	3	3	3	3	Strong	Moderate
32	Obstetric Trauma - Vaginal Delivery	Maternal & Neonatal		PSI	3	3	3	3	3	Strong	Moderate

#	Measure Name	SQAC Priority Area	NQF #	Std. Measur e Set	Ease of Measure.	Reliability and Validity	Field Implement.	Amenable to Targeted Improve.	Ave. Score	2013 Rec.	2012 Rec.
	without Instrument	Care									
	(PSI 19)										
33	Rate of Babies	Maternal &			3	3	3	3	3	Strong	Strong
	Electively Delivered	Neonatal									
	Before Full-Term	Care									
34	Computerized	Care			2	3	3	3	2.75	Moderate	Moderate
	Physician Order	Coordination									
	Entry System	&									
		Communicati									
		on									
35	Unhealthy Alcohol	Preventive		AMA-	3	4	3	4	3.5	Strong	Moderate
	Use: Screening &	Health		PCPI							
	Brief Counseling										